	according to	Regulation (EC) No 1907/2006 (REACH) as amended
		B-LEAF Coating 10001
Creation		
Revisior	n date	Version 1.0
SECTI	ON 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1.	Product identifier	B-LEAF Coating 10001
	Substance / mixture	mixture
	UFI	XNPV-T0HC-H00D-6NA6
1.2.		e substance or mixture and uses advised against
	Mixture's intended use	
	Ingredients for solvent-based pair	nts or coating paint. Industrial uses – coating and paint. Professional uses.
	Mixture uses advised against	
	······································	
	Other uses must be evaluated on	a case-by-case.
	Other uses must be evaluated on	a case-by-case.
	Main intended use	
13	Main intended use PC-PNT-OTH O	ther paints and coating materials
1.3.	Main intended use PC-PNT-OTH O Details of the supplier of the s	ther paints and coating materials
1.3.	Main intended usePC-PNT-OTHODetails of the supplier of the sManufacturer	ther paints and coating materials afety data sheet
1.3.	Main intended use PC-PNT-OTH O Details of the supplier of the s Manufacturer Name or trade name	ther paints and coating materials afety data sheet BeDimensional S.p.A.
1.3.	Main intended usePC-PNT-OTHODetails of the supplier of the sManufacturer	ther paints and coating materials afety data sheet
1.3.	Main intended usePC-PNT-OTHODetails of the supplier of the sManufacturerName or trade nameAddress	ther paints and coating materials afety data sheet BeDimensional S.p.A. Via Lungotorrente Secca, n. 30/r 16163 – Genoa
1.3.	Main intended usePC-PNT-OTHODetails of the supplier of the supplier of the supplierManufacturerName or trade nameAddressPhone	afety data sheet BeDimensional S.p.A. Via Lungotorrente Secca, n. 30/r 16163 – Genoa (+39) 010 2364170 info@bedimensional.it
1.3.	Main intended use PC-PNT-OTH O Details of the supplier of the s Manufacturer Name or trade name Address Phone E-mail	afety data sheet BeDimensional S.p.A. Via Lungotorrente Secca, n. 30/r 16163 – Genoa (+39) 010 2364170 info@bedimensional.it
1.3.	Main intended use O PC-PNT-OTH O Details of the supplier of the s Manufacturer Name or trade name Address Phone E-mail Competent person responsible	afety data sheet BeDimensional S.p.A. Via Lungotorrente Secca, n. 30/r 16163 – Genoa (+39) 010 2364170 info@bedimensional.it

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Sens. 1A, H317 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Warning

Hazardous substances

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Hazard statements	
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creation date	11th October 2021
Revision date	Version 1.0
Precautiona	statements
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P321	Specific treatment (see supplemental first aid instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1	1-methoxy-2-propanol	<0,4	Flam. Liq. 3, H226 STOT SE 3, H336	2
Index: 603-085-00-8 CAS: 52-51-7 EC: 200-143-0	bronopol (INN)	0,035- <0,05	Acute Tox. 4, H302+H312 Skin Irrit. 2, H315Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)	3
Index: 613-167-00-5	reaction mass of: 5-chloro-2- methyl-	0,005-	Acute Tox. 3, H301	1
CAS: 55965-84-9	isothiazolin-3-one [EC no. 247-500- 7]and 2 -methyl-2H -isothiazol-3- one [EC no. 220- 239-6] (3:1)	<0,01	Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0,06 % \leq C <0,6 % Skin Sens. 1A, H317: C \geq 0,0015% Skin Irrit. 2, H315: 0,06 % \leq C <0,6 % Skin Corr. 1C, H314: C \geq 0,6 %	

Notes

1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

2 Substance with a Union workplace exposure limit.

3 Nanoform

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creation date	11th October 2021		
Revision date	V	/ersion	1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

Most important symptoms and effects, both acute and delayed

If inhaled

4.2.

Not expected. **If on skin** May cause an allergic skin reaction. **If in eyes** Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media**

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures


Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.



See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Specific end use(s)

not available

7.3.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

The mixture contains substances for which occupational exposure limits are set.

European Union		Com	mission Directive 2000/39/EC
Substance name (component)	Туре	Value	Note
	OEL 8 hours	375 mg/m ³	
	OEL 8 hours	100 ppm	
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 15 minutes	568 mg/m ³	Skin
	OEL 15 minutes	150 ppm	

Italv

Leg. April 9, 2008, no. 81

Substance name (component)	Туре	Value	Note
	8 hours	375 mg/m ³	
	8 hours	100 ppm	
1-methoxy-2-propanol (CAS: 107-98-2)	Short term (15 minutes)	568 mg/m ³	Skin
	Short term (15 minutes)	150 ppm	

8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creatic	on date	11th October 2021			
Revisio	Revision date		Version	1.0	
SECT	ION 9: Physica	al and chemical properties			
9.1.	-	on basic physical and chemical prope	erties		
	Physical state		liquid		
	Colour		data not available		
	Odour		data not available		
	Melting point/	/freezing point	data not available		
	Boiling point c	or initial boiling point and boiling range	data not available		
	Flammability		data not available		
	Lower and up	per explosion limit	data not available		
	Flash point		data not available		
	Auto-ignition t	temperature	data not available		
	Decomposition	n temperature	data not available		
	рН		data not available		
	Kinematic visc	cosity	data not available		
	Solubility in w	'ater	data not available		
	Partition coeff	ficient n-octanol/water (log value)	data not available		
	Vapour pressu	ıre	data not available		
	Density and/o	or relative density	data not available		
	Relative vapou	ur density	data not available		
	Particle charac	cteristics	data not available		
	Form				
	1-Heptano	ol, 2-propyl- , 7EO (CAS: 160875-66-1)	liquid		
		mono-C10-13-alkyl derivs., distn. residues			
	(CAS: 84961-	,	liquid		
	Distillates (CAS: 64742-!	(petroleum), hydrotreated heavy paraffini	ic		
9.2.	Other informa	,			

not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creation date	11th October 2021		
Revision date		Version	1.0

10.1.	Reactivity
	not available
10.2.	Chemical stability
	The product is stable under normal conditions.
10.3.	Possibility of hazardous reactions
	Unknown.
10.4.	Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

SECTION 10: Stability and reactivity

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

Page 6/9



according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creation date	11th October 2021		
Revision date		Version	1.0

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

- 12.2. Persistence and degradability
- not available **12.3. Bioaccumulative potential** Not available.
- 12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number


- not subject to transport regulations
- 14.2. UN proper shipping name
- not relevant 14.3. Transport hazard class(es)
- not relevant **14.4. Packing group**
 - not relevant

14.5. Environmental hazards not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislative Decree No. 200/2011 - Sanctions for the violation of the provisions on the export and import of dangerous chemical substances – Official Gazette no. 283 of 05 December 2011. Legislative decree no. 81 of 09 April 2008 on health and safety protection of employees in the workplace. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrase	es used in the safety data sheet
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.
H302+H312	Harmful if swallowed or in contact with skin.
Guidelines for safe handling	used in the safety data sheet
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P321	Specific treatment (see supplemental first aid instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
A list of additional standard	phrases used in the safety data sheet
EUH071	Corrosive to the respiratory tract.
Other important information	about human health protection
	ess specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.
Key to abbreviations and ac	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union

Page

8/9

BEDIMENSIONAL

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

B-LEAF Coating 10001

Creation date	11th October 2021
Revision date	Version 1.0
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	5
	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Lig.	Flammable liquid
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
Training guideline	

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.